

AZUVI

DECLARATION OF PERFORMANCE

No. AZUREVBIII-001
WALL TILES

1. Unique identification code of the product-type
Type, batch, serial number or any other detail allowing the correct identification of the product.

Ceramic tiles, dry pressed, with a water absorption rate $E > 10\%$

2. Intended use

Internal walls.

3. Name or registered trademark and address of the manufacturer

AZUVI Ceramics S.L.U. , Crtra Villarreal - Onda (CV-20), Km.3 , 12540 Vila-real (Castellón) Spain

4. System(s) of AVCP:

System 4

5. Name and number of the notified laboratory, is if applicable
Task realised, evaluating system, issued documentation and date of issue

N/A

6. Declared performances

ESSENTIAL CHARACTERISTICS	PERFORMANCE	HARMONISED TECHNICAL SPECIFICATION
REACTION TO FIRE	Class A1	EN 14411:2012
ADHESION FOR CEMENTITIOUS ADHESIVE TYPE C 1	> 0,5 N/mm ²	
CEMENTITIOUS ADHESIVE TYPE C 2	> 1 N/mm ²	
EMISSIONS OF DANGEROUS SUBSTANCES	NPD	
DURABILITY FOR: INTERNAL USED	Passed	

- The performance of the product identified at point 1 is in conformity with the set of performances declared at point 6.
- The present declaration of performance is issued under sole responsibility of the manufacturer identified at point 3.

Signed by and in the name of the manufacturer,

Mayte Casalta - Quality Manager

Signature



Place and date of issue

Vila-real, 10st of November 2022

AZUVI

DECLARATION OF PERFORMANCE

No. AZUPAVBla-002
PORCELAIN Type 1 - GROUP Bla

1. Unique identification code of the product-type
Type, batch, serial number or any other detail allowing the correct identification of the product.

Ceramic tiles, dry pressed, with a water absorption rate $E < 0,5 \%$

2. Intended use

Internal and external walls and floors.

3. Name or registered trademark and address of the manufacturer

AZUVI Ceramics S.L.U. , Crtra Villarreal - Onda (CV-20), Km.3 , 12540 Vila-real (Castellón) Spain

4. System(s) of AVCP:

System 4

5. Name and number of the notified laboratory, is if applicable
Task realised, evaluating system, issued documentation and date of issue

N/A

6. Prestaciones declaradas

ESSENTIAL CHARACTERISTICS	PERFORMANCE	HARMONISED TECHNICAL SPECIFICATION
REACTION TO FIRE	A1 / A1 _{FL}	EN 14411:2012
BREAKING STRENGTH	> 1300 N	
TACTILITY	NDP	
SLIP RESISTANCE	NDP	
ADHESION CEMENTITIOUS ADHESIVE TYPE C2	> 1 N/mm ²	
EMISSIONS OF DANGEROUS SUBSTANCES	NPD	
THERMAL SHOCK RESISTANCE	Passed	
DURABILITY FOR: INTERNAL USED EXTERIOR USED. FREEZE THAW RESISTANCE	Passed Passed	

- The performance of the product identified at point 1 is in conformity with the set of performances declared at point 6.
- The present declaration of performance is issued under sole responsibility of the manufacturer identified at point 3.

Signed by and in the name of the manufacturer,

Mayte Casalta - Quality Manager

Signature



Place and date of issue

Vila-real, 10st of November 2022

AZUVI

DECLARATION OF PERFORMANCE

No. AZUPAVBib-003
PORCELAIN Type 2 - GROUP B1b

1. Unique identification code of the product-type
Type, batch, serial number or any other detail allowing the correct identification of the product.

Ceramic tiles, dry pressed, with a water absorption rate $0,5 \% < E \leq 3 \%$

2. Intended use

Internal walls and floors.

3. Name or registered trademark and address of the manufacturer

AZUVI Ceramics S.L.U. , Crtra Villarreal - Onda (CV-20), Km.3 , 12540 Vila-real (Castellón) Spain

4. System(s) of AVCP:

System 4

5. Name and number of the notified laboratory, is if applicable
Task realised, evaluating system, issued documentation and date of issue

N/A

6. Declared performances

ESSENTIAL CHARACTERISTICS	PERFORMANCE	HARMONISED TECHNICAL SPECIFICATION
REACTION TO FIRE	A1 / A1 _{FL}	EN 14411:2012
BREAKING STRENGTH	> 1100 N	
TACTILITY	NDP	
SLIP RESISTANCE	NDP	
ADHESION CEMENTITIOUS ADHESIVE TYPE C2	> 1 N/mm ²	
EMISSIONS OF DANGEROUS SUBSTANCES	NPD	
THERMAL SHOCK RESISTANCE	Passed	
DURABILITY FOR: INTERNAL USED EXTERIOR USED. FROST RESISTANCE	Passed Passed	

- The performance of the product identified at point 1 is in conformity with the set of performances declared at point 6.
- The present declaration of performance is issued under sole responsibility of the manufacturer identified at point 3.

Signed by and in the name of the manufacturer,

Mayte Casalta - Quality Manager

Signature

Place and date of issue



Vila-real, 10st of November 2022